

# Computable characterization for decidably categorical and computably categorical structures

MARGARITA MARCHUK

*Sobolev Institute of Mathematics*

## ABSTRACT

Let  $K$  be a class of structures, closed under isomorphism. A **computable characterization** for  $K$  should separate the computable members of  $K$  from other structures, where these are either not in  $K$ , nor computable. Goncharov and Knight [?] introduced three different approaches to computable characterization for classes of structures. One of these approaches is based on the notion of an index set.

Suppose that  $K$  is a class of computable structures of a signature  $\sigma$ . Suppose also that  $K$  is closed under isomorphism. The **index set** of the class  $K$  is the set

$$I(K) = \{e \in \omega : \exists \mathfrak{M} \in K (\varphi_e = \chi_{D(\mathfrak{M})})\},$$

where  $\chi_{D(\mathfrak{M})}$  is the characteristic function of the atomic diagram of  $\mathfrak{M}$ .

A computable structure  $\mathfrak{M}$  is **computably d-categorical** if for every computable copy  $\mathfrak{N}$  of  $\mathfrak{M}$ , there exists a **d-computable** isomorphism. A decidable structure  $\mathfrak{M}$  is **decidably d-categorical** if for every decidable copy  $\mathfrak{N}$  of  $\mathfrak{M}$ , there exists a **d-computable** isomorphism.

We will talk about the complexity of index sets of decidably categorical and computably categorical structures, which belongs to different familiar classes.

## References

- [1] Goncharov S.S., Knight J. F. *Computable structure and non-structure theorems*, Algebra and Logic 41, no. 6, pp. 351–373, 2002.